


Fig. 1



David Hagen





3/28
Fig. 8

10

30

93

4

904


85


80


86


Fig. 9


10
30
89
4
904
85
0
87
80
89











. 5

Fig. 18





Fig. 19



÷

Method and Apparatus for Mixing Fluids Hagen et al. Atty Docket:VAST.001CP2

Fig. 20







Fig. 21

80







10/28

Fig. 30




Fig. 31




Fig. 32







Fig. 33



David Hagen





÷





Fig. 47


80


36

15

39










Fig. 55




Fig. 58




Fig. 56





Fig. 59






Fig. 62

17/28








Fig. 63 80 -10 903




18/28












5











21/28


Fig. 73-78











· <u>=</u>

Fig. 83






Fig. 84









Fig. 91

27/28






Fig. 94

28/28

## DISTRIBUTED CONTACTOR MODELING METHOD

# SET BOUNDARY CONDITIONS

FIRST & SECOND FLUID MASS FLOW RATES, DENSITIES, VELOCITIES, PRESSURES, ORIFICE DISCHARGE COEFFICIENTS, TUBE TENSILE STRENGTH

## INITIALIZE PARAMETERS

PRESSURE, CONE ANGLE, ORIFICE NUMBER, ORIFICE SPACING, ORIFICE DIAMETER, PENETRATION, TUBE GAP, WALL THICKNESS, TUBE DIAMETER, INJECTION VELOCITY, TUBE LENGTH

#### MODEL EQUATIONS

DESIGN EQUATIONS
HOLE SPACING, TUBE LENGTH, TUBE SPACING

#### **FLOW EQUATIONS**

ORIFICE FLOW MODEL
SPRAY PENETRATION CORRELATION
CONE ANGLE CORRELATION
COMPOSITION MASS FLOW RATE RELATIONS

APPLY CONTRAINTS e.g.
TRANSVERSE DISTRIBUTION(S) OF SPRAY PENETRATION,
SECOND TO FIRST FLUID COMPOSITION
HEAT TRANSFER TIME & DISTANCE AND/OR
EVAPORATION TIME & DISTANCE
TUBE MAXIMUM PRESSURE, TUBE DIAMETER
MAXIMUM ORIFICE LENGTH/DIAMETER

### **OUTPUT VALUES**

TRANSVERSE DISTRIBUTION(S) OF FLUID PRESSURE,
ORIFICE NUMBER, ORIFICE SPACING, ORIFICE DIAMETER,
ORIFICE ORIENTATION, ORIFICE LENGTH/DIAMETER,
SPRAY CONE ANGLE, SPRAY PENETRATION, INJECTION VELOCITY,
TUBE GAP & TUBE WALL THICKNESS; & TUBE DIAMETER & TUBE LENGTH